

Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 1 of 9

昇貿科技股份有限公司
SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) : LEAD-FREE SOLDER

樣品型號(Style/Item No.) : PF664 收件日期(Sample Receiving Date) : 2014/11/19

測試期間(Testing Period) : 2014/11/19 TO 2014/11/24

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).





Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 2 of 9

昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC. 桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 銀色金屬 (SILVER COLORED METAL)

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限値 (MDL) | 結果 (Result) No.1 |
|---|--------------|--|----------------------|------------------------|
| 鎬 / Cadmium (Cd) | mg/kg | 參考IEC 62321-5: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES. | 2 | n.d. |
| 鉛 / Lead (Pb) | mg/kg | 參考IEC 62321-5: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES. | 2 | 179 |
| 汞 / Mercury (Hg) | mg/kg | 參考IEC 62321-4: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES. | 2 | n.d. |
| 六價鉻 / Hexavalent Chromium Cr(VI) | ** | 參考IEC 62321: 2008 - Annex B方法,以沸水萃取法檢測. / With reference to IEC 62321: 2008 - Annex B and performed by Boiling water extraction Method.# | # | Negative |
| 六溴環十二烷及所有主要被辨别出的 異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | mg/kg | 参考IEC 62321: 2008方法,以氣相層析/質 譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS. | 5 | n.d. |



號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 3 of 9

Test Report

异貿科技股份有限公司
SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限値 | 結果 (Result) |
|--|--------------|--|-------------|----------------|
| (rest flems) | (onit) | (method) | (MDL) | No.1 |
| 鄰苯二甲酸丁苯甲酯 / BBP (Butyl | % | 參考EN 14372, 以氣相層析/質譜儀檢測./ | 0.003 | n.d. |
| Benzyl phthalate) (CAS No.: 85- | | With reference to EN 14372. Analysis | | |
| 68-7) | | was performed by GC/MS. | | |
| 鄰苯二甲酸二 (2-乙基己基)酯 / | % | 參考EN 14372, 以氣相層析/質譜儀檢測./ | 0.003 | n.d. |
| DEHP (Di- (2-ethylhexyl) | | With reference to EN 14372. Analysis | | |
| phthalate) (CAS No.: 117-81-7) | | was performed by GC/MS. | | |
| 鄰苯二甲酸二異癸酯 / DIDP (Di- | % | 參考EN 14372,以氣相層析/質譜儀檢測./ | 0.01 | n.d. |
| isodecyl phthalate) (CAS No.: | | With reference to EN 14372. Analysis | | |
| 26761-40-0; 68515-49-1) | | was performed by GC/MS. | | |
| 鄰苯二甲酸二異壬酯 / DINP (Di- | % | 參考EN 14372, 以氣相層析/質譜儀檢測./ | 0.01 | n.d. |
| isononyl phthalate) (CAS No.: | | With reference to EN 14372. Analysis | | |
| 28553-12-0; 68515-48-0) | | was performed by GC/MS. | | |
| 鄰苯二甲酸二正辛酯 / DNOP (Di-n- | % | 參考EN 14372, 以氣相層析/質譜儀檢測./ | 0.003 | n.d. |
| octyl phthalate) (CAS No.: 117- | | With reference to EN 14372. Analysis | | |
| 84-0) | | was performed by GC/MS. | | |
| 鄰苯二甲酸二丁酯 / DBP (Dibutyl | % | 參考EN 14372, 以氣相層析/質譜儀檢測./ | 0.003 | n.d. |
| phthalate) (CAS No.: 84-74-2) | | With reference to EN 14372. Analysis | | |
| 多溴聯苯總和 / Sum of PBBs | mg/kg | was performed by GC/MS. | | n.d. |
| 一溴聯苯 / Monobromobiphenyl | mg/kg | - | 5 | n.d. |
| 二溴聯苯 / Dibromobiphenyl | mg/kg | | 5 | n.d. |
| 三溴聯苯 / Tribromobiphenyl | mg/kg | - | 5 | n.d. |
| <u> 一次等本 / Triblomobliphenyl</u> 四溴聯苯 / Tetrabromobliphenyl | mg/kg | 参考IEC 62321: 2008 - Annex A方法,以氣 | 5 | n.d. |
| 五溴聯苯 / Pentabromobiphenyl | mg/kg | 相層析/質譜儀檢測. / With reference to IEC 62321: 2008 - Annex A and performed by GC/MS. | 5 | n.d. |
| 六溴聯苯 / Hexabromobiphenyl | mg/kg | | 5 | n.d. |
| 大溴聯苯 / Heptabromobiphenyl | mg/kg | | 5 | n.d. |
| へ 決 聯 苯 / Octabromobiphenyl | mg/kg | | 5 | n.d. |
| 九溴聯苯 / Nonabromobiphenyl | mg/kg | | 5 | n.d. |
| 十溴聯苯 / Decabromobiphenyl | | | | |
| 沃州平 / Decabromobiphenyi | mg/kg | | 5 | n.d. |



Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 4 of 9

昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

| 測試項目 (Test Items) | 單位 (Unit) | 測試方法 (Method) | 方法偵測 極限値 (MDL) | 結果 (Result) |
|----------------------------------|--------------|--|----------------------|----------------|
| | | | | No.1 |
| 多溴聯苯醚總和 / Sum of PBDEs | mg/kg | 参考IEC 62321: 2008 - Annex A方法,以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 - Annex A and performed by GC/MS. | - | n.d. |
| 一溴聯苯醚 / Monobromodiphenyl ether | mg/kg | | 5 | n.d. |
| 二溴聯苯醚 / Dibromodiphenyl ether | mg/kg | | 5 | n.d. |
| 三溴聯苯醚 / Tribromodiphenyl ether | mg/kg | | 5 | n.d. |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 六溴聯苯醚 / Hexabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 八溴聯苯醚 / Octabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 九溴聯苯醚 / Nonabromodiphenyl ether | mg/kg | | 5 | n.d. |
| 十溴聯苯醚 / Decabromodiphenyl ether | mg/kg | | 5 | n.d. |

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6.# = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)



Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 5 of 9


昇貿科技股份有限公司

SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 2) 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



Test Report


號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 6 of 9

昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC. 桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24


頁數(Page): 7 of 9

昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC. 桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 8 of 9


昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.): CE/2014/B3063 日期(Date): 2014/11/24 頁數(Page): 9 of 9

昇貿科技股份有限公司 SHENMAO TECHNOLOGY INC.

桃園縣觀音工業區工業二路12-1號

NO. 12-1, GONGYE 2ND RD., GUANYIN INDUSTRIAL AREA, TAOYUAN COUNTY 328, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/B3063



** 報告結尾 (End of Report) **